

Meera Ahamed
Office of General Counsel
(202) 624-6622 (Direct)
(202) 624-6789 (Fax)
MAhamed@washgas.com

March 4, 2021

VIA ELECTRONIC FILING

Brinda Westbrook-Sedgwick
Commission Secretary
Public Service Commission
of the District of Columbia
1325 "G" Street, N.W., 8th Floor
Washington, D.C. 20005

Re: **FORMAL CASE NO. 977 AND RM 37-2017-01**
[WASHINGTON GAS'S REPORT - PUBLIC]

Dear Ms. Westbrook-Sedgwick:

Washington Gas Light Company transmits this filing pursuant to Order No. 20254, issued on November 13, 2019, in the captioned proceedings.

Attached are the public versions of the report required by 15 DCMR § 3702.6 and 15 DCMR § 3702.7.

Pursuant to 15 DCMR § 3702.16, service to the Commission's Office of Engineering and the Office of the People's Counsel will be accomplished by providing access to the confidential version of the Report through Share Point, a widely used document management and sharing tool.

Please do not hesitate to contact me if you have questions regarding this matter.

Sincerely,



Meera Ahamed
Associate General Counsel

pc: Per Certificate of Service

Order Number	Type of Leak	Cause of Leak	Date First Call Received Regarding Leak	Time First Call Received Regarding Leak	Onsite Date	Onsite Time	Job Completed Date	Job Completed Time	Actual Repair Duration	Made Safe Date	Made Safe Time	Pipe Material	Pipe Pressure	Pipe Size	Pipe Type	Apartment Number	House Number	Street	City	State	Zip Code
2199044	Downgrade from Grade 1	Pipe, Weld or Joint	3/3/2021	14:17:39	3/3/2021	18:30:00	3/3/2021	22:00:00	7 hours 42 mins	3/3/2021	22:00:00	BARE STEEL	High Pressure	0.375	MAIN				WASHINGTON	DC	20019
2198913	Downgrade from Grade 1	Pipe, Weld or Joint	3/2/2021	11:17:14	3/2/2021	15:30:00	3/2/2021	18:00:00	6 hours 42 mins	3/2/2021	18:00:00	BARE STEEL	High Pressure	1.25	SERVICE	None			WASHINGTON	DC	20020
2198775	Downgrade from Grade 1	Pipe, Weld or Joint	3/1/2021	06:15:27	3/1/2021	7:50:00	3/1/2021	20:00:00	13 hours 44 mins	3/1/2021	20:00:00	CAST IRON	Low Pressure	6	MAIN	None			WASHINGTON	DC	20011
2198797	Downgrade from Grade 1	Pipe, Weld or Joint	3/1/2021	09:49:37	3/1/2021	13:00:00	3/1/2021	17:00:00	7 hours 10 mins	3/1/2021	17:00:00	BARE STEEL	Low Pressure	1.25	SERVICE	None			WASHINGTON	DC	20015
2198720	Downgrade from Grade 1	Pipe, Weld or Joint	2/27/2021	23:49:00	2/28/2021	1:30:00	2/28/2021	5:30:00	5 hours 41 mins	2/28/2021	5:30:00	CAST IRON	High Pressure	16	MAIN	None			WASHINGTON	DC	20016
2198721	Downgrade from Grade 1	Pipe, Weld or Joint	2/28/2021	11:25:29	2/28/2021	14:10:00	2/28/2021	18:30:00	7 hours 4 mins	2/28/2021	18:30:00	PLASTIC	Low Pressure	1	SERVICE	None			WASHINGTON	DC	20010
2198736	Downgrade from Grade 1	Pipe, Weld or Joint	2/28/2021	15:59:45	2/28/2021	20:15:00	2/28/2021	22:30:00	6 hours 30 mins	2/28/2021	22:30:00	CAST IRON	High Pressure	20	MAIN	None			WASHINGTON	DC	20002
2198618	Downgrade from Grade 1	Pipe, Weld or Joint	2/26/2021	11:30:53	2/26/2021	14:00:00	2/26/2021	18:00:00	6 hours 29 mins	2/26/2021	18:10:00	PLASTIC	High Pressure	4	MAIN				WASHINGTON	DC	20020
2198569	Downgrade from Grade 1	Pipe, Weld or Joint	2/25/2021	17:29:53	2/25/2021	19:45:00	2/25/2021	23:30:00	6 hours 0 mins	2/25/2021	23:30:00	PLASTIC	High Pressure	1	SERVICE	None			WASHINGTON	DC	20015
2198587	Downgrade from Grade 1	Pipe, Weld or Joint	2/25/2021	23:45:51	2/26/2021	2:30:00	2/26/2021	5:30:00	5 hours 45 mins	2/26/2021	05:30:00	BARE STEEL	Low Pressure	1	SERVICE	None			WASHINGTON	DC	20020
2198591	Downgrade from Grade 1	Pipe, Weld or Joint	2/25/2021	21:57:57	2/26/2021	5:30:00	2/26/2021	13:00:00	15 hours 3 mins	2/26/2021	17:30:00	CAST IRON	Low Pressure	6	MAIN	None	None		WASHINGTON	DC	20011

Order Number	Type of Leak	Cause of Leak	Date First Call Received Regarding Leak	Time First Call Received Regarding Leak	Onsite Date	Onsite Time	Job Completed Date	Job Completed Time	Actual Repair Duration	Made Safe Date	Made Safe Time	Pipe Material	Pipe Pressure	Pipe Size	Pipe Type	Apartment Number	House Number	Street	City	State	Zip Code
2199039	Grade 1 Leak	Operations	3/3/2021	10:09:02	3/3/2021	13:45:00	3/3/2021	21:15:00	11 hours 5 mins	3/3/2021	21:15:00	PLASTIC	High Pressure	1.25	SERVICE	None	█	██████████	WASHINGTON	DC	20007
2199040	Grade 1 Leak	Excavation Damage	3/3/2021	12:38:46	3/3/2021	12:59:00	3/3/2021	17:30:00	4 hours 51 mins	3/3/2021	17:30:00	WRAPPED STEEL	Low Pressure	1.5	SERVICE	None	█	██████	WASHINGTON	DC	20017
2199044	Downgrade from Grade 1	Pipe, Weld or Joint	3/3/2021	14:17:39	3/3/2021	18:30:00	3/3/2021	22:00:00	7 hours 42 mins	3/3/2021	22:00:00	BARE STEEL	High Pressure	0.375	MAIN	█	█	██████████	WASHINGTON	DC	20019
2199049	Grade 1 Leak	Excavation Damage	3/3/2021	14:39:23	3/3/2021	16:08:00	3/3/2021	19:38:00	4 hours 58 mins	3/3/2021	19:38:00	PLASTIC	High Pressure	1	SERVICE	None	█	██████████	WASHINGTON	DC	20020
2198913	Downgrade from Grade 1	Pipe, Weld or Joint	3/2/2021	11:17:14	3/2/2021	15:30:00	3/2/2021	18:00:00	6 hours 42 mins	3/2/2021	18:00:00	BARE STEEL	High Pressure	1.25	SERVICE	None	█	████	WASHINGTON	DC	20020
2198920	Grade 1 Leak	Excavation Damage	3/2/2021	14:55:55	3/2/2021	15:32:00	3/2/2021	18:32:00	3 hours 36 mins	3/2/2021	18:32:00	BARE STEEL	Low Pressure	1.25	SERVICE	None	█	██████████	WASHINGTON	DC	20011
2198923	Grade 1 Leak	Pipe, Weld or Joint	3/2/2021	17:10:23	3/2/2021	18:45:00	3/3/2021	06:00:00	12 hours 50 mins	3/3/2021	10:30:00	CAST IRON	Low Pressure	6	MAIN	None	█	██████████	WASHINGTON	DC	20011
2198775	Downgrade from Grade 1	Pipe, Weld or Joint	3/1/2021	06:15:27	3/1/2021	7:50:00	3/1/2021	20:00:00	13 hours 44 mins	3/1/2021	20:00:00	CAST IRON	Low Pressure	6	MAIN	None	█	██████████	WASHINGTON	DC	20011
2198797	Downgrade from Grade 1	Pipe, Weld or Joint	3/1/2021	09:49:37	3/1/2021	13:00:00	3/1/2021	17:00:00	7 hours 10 mins	3/1/2021	17:00:00	BARE STEEL	Low Pressure	1.25	SERVICE	None	█	██████████	WASHINGTON	DC	20015
2198720	Downgrade from Grade 1	Pipe, Weld or Joint	2/27/2021	23:49:00	2/28/2021	1:30:00	2/28/2021	5:30:00	5 hours 41 mins	2/28/2021	5:30:00	CAST IRON	High Pressure	16	MAIN	None	█	██████████	WASHINGTON	DC	20016
2198721	Downgrade from Grade 1	Pipe, Weld or Joint	2/28/2021	11:25:29	2/28/2021	14:10:00	2/28/2021	18:30:00	7 hours 4 mins	2/28/2021	18:30:00	PLASTIC	Low Pressure	1	SERVICE	None	█	██████████	WASHINGTON	DC	20010
2198736	Downgrade from Grade 1	Pipe, Weld or Joint	2/28/2021	15:59:45	2/28/2021	20:15:00	2/28/2021	22:30:00	6 hours 30 mins	2/28/2021	22:30:00	CAST IRON	High Pressure	20	MAIN	None	█	██████	WASHINGTON	DC	20002
2198615	Grade 1 Leak	Equipment	2/26/2021	11:30:53	2/26/2021	13:00:00	2/26/2021	13:45:00	2 hours 15 mins	2/26/2021	15:30:00	WRAPPED STEEL	High Pressure	2	MAIN	██████	█	██████	WASHINGTON	DC	20020
2198618	Downgrade from Grade 1	Pipe, Weld or Joint	2/26/2021	11:30:53	2/26/2021	14:00:00	2/26/2021	18:00:00	6 hours 29 mins	2/26/2021	18:10:00	PLASTIC	High Pressure	4	MAIN	██████	█	██████	WASHINGTON	DC	20020
2198629	Grade 1 Leak	Pipe, Weld or Joint	2/26/2021	16:29:18	2/26/2021	18:45:00	2/27/2021	3:00:00	10 hours 31 mins	2/27/2021	3:00:00	CAST IRON	Low Pressure	4	MAIN	None	None	██████████ ██	WASHINGTON	DC	20011
2198631	Grade 1 Leak	Natural Forces	2/26/2021	16:37:04	2/26/2021	19:15:00	2/26/2021	22:30:00	5 hours 53 mins	2/26/2021	23:00:00	CAST IRON	Low Pressure	4	MAIN	█	█	██████████	WASHINGTON	DC	20011
2198517	Grade 1 Leak	Excavation Damage	2/25/2021	09:24:35	2/25/2021	9:40:00	2/25/2021	10:13:00	0 hours 49 mins	2/25/2021	12:00:00	PLASTIC	High Pressure	0.75	SERVICE	None	█	████	WASHINGTON	DC	20019
2198520	Grade 1 Leak	Equipment	2/25/2021	09:46:02	2/25/201	12:30:00	2/25/2021	13:30:00	3 hours 44 mins	2/25/2021	21:00:00	WRAPPED STEEL	High Pressure	2	MAIN	None	None	██████████ ██████████	WASHINGTON	DC	20020
2198569	Downgrade from Grade 1	Pipe, Weld or Joint	2/25/2021	17:29:53	2/25/2021	19:45:00	2/25/2021	23:30:00	6 hours 0 mins	2/25/2021	23:30:00	PLASTIC	High Pressure	1	SERVICE	None	█	██████	WASHINGTON	DC	20015
2198587	Downgrade from Grade 1	Pipe, Weld or Joint	2/25/2021	23:45:51	2/26/2021	2:30:00	2/26/2021	5:30:00	5 hours 45 mins	2/26/2021	05:30:00	BARE STEEL	Low Pressure	1	SERVICE	None	█	████	WASHINGTON	DC	20020
2198591	Downgrade from Grade 1	Pipe, Weld or Joint	2/25/2021	21:57:57	2/26/2021	5:30:00	2/26/2021	13:00:00	15 hours 3 mins	2/26/2021	17:30:00	CAST IRON	Low Pressure	6	MAIN	None	None	██████████ ██████████	WASHINGTON	DC	20011
2198445	Grade 1 Leak	Natural Forces	2/24/2021	13:43:17	2/24/2021	15:00:00	2/25/2021	1:30:00	11 hours 43 mins	2/25/2021	1:30:00	CAST IRON	Low Pressure	6	MAIN	None	█	██████	WASHINGTON	DC	20016
2198487	Grade 1 Leak	Equipment	2/24/2021	22:47:03	2/25/2021	7:00:00	2/25/2021	11:00:00	12 hours 13 mins	2/25/2021	11:00:00	WRAPPED STEEL	High Pressure	2	MAIN	None	█	██████	WASHINGTON	DC	20019
2198467	Grade 1 Leak	Corrosion	2/24/2021	20:15:00	2/25/2021	0:30:00	2/25/2021	6:30:00	10 hours 15 mins	2/25/2021	6:30:00	WRAPPED STEEL	Low Pressure	1.25	SERVICE	None	█	██████████	WASHINGTON	DC	20007
2198472	Grade 1 Leak	Natural Forces	2/24/2021	19:15:00	2/24/2021	22:00:00	2/25/2021	7:30:00	12 hours 15 mins	2/25/2021	7:30:00	CAST IRON	Low Pressure	6	MAIN	None	█	██████████	WASHINGTON	DC	20011
2198473	Grade 1 Leak	Natural Forces	2/25/2021	10:30:00	2/25/2021	10:45:00	2/25/2021	18:00:00	7 hours 30 mins	2/25/2021	18:00:00	CAST IRON	Low Pressure	4	MAIN	None	█	██████	WASHINGTON	DC	20002
2198478	Grade 1 Leak	Equipment	2/25/2021	8:11:00	2/25/2021	8:30:00	2/25/2021	14:00:00	5 hours 49 mins	2/25/2021	14:00:00	WRAPPED STEEL	High Pressure	0.75	SERVICE	None	█	██████	WASHINGTON	DC	20012
2198537	Grade 1 Leak	Corrosion	2/25/2021	11:10:00	2/25/2021	11:45:00	2/25/2021	14:15:00	3 hours 5 mins	2/25/2021	14:15:00	BARE STEEL	Low Pressure	6	MAIN	None	None	██████████ ██████████ █	CHEVY CHASE	DC	20815

2198619	Grade 1 Leak	Corrosion	2/26/2021	13:06:00	2/26/2021	15:20:00	2/26/2021	17:00:00	3 hours 54 mins	2/26/2021	17:00:00	WRAPPED STEEL	Low Pressure	1.5	SERVICE	None	████	██████████	WASHINGTON	DC	20011
2198695	Grade 1 Leak	Equipment	2/27/2021	11:45:00	2/27/2021	12:30:00	2/27/2021	18:00:00	6 hours 15 mins	2/27/2021	18:00:00	WRAPPED STEEL	High Pressure	1.25	SERVICE	None	████	██████████	WASHINGTON	DC	20032
2198702	Grade 1 Leak	Natural Forces	2/27/2021	13:54:00	2/27/2021	16:45:00	2/27/2021	23:15:00	9 hours 21 mins	2/27/2021	23:15:00	CAST IRON	Low Pressure	4	MAIN	None	████	████	WASHINGTON	DC	20020
2198706	Grade 1 Leak	Corrosion	2/27/2021	15:51:00	2/27/2021	16:15:00	2/27/2021	19:15:00	3 hours 24 mins	2/27/2021	19:15:00	BARE STEEL	High Pressure	0.75	SERVICE	None	████	██████████	WASHINGTON	DC	20032
2198711	Grade 1 Leak	Equipment	2/27/2021	17:30:00	2/27/2021	19:30:00	2/28/2021	2:00:00	8 hours 30 mins	2/28/2021	2:00:00	COPPER	Low Pressure	1.25	SERVICE	None	████	██████████	WASHINGTON	DC	20010
2198728	Grade 1 Leak	Material and Weld	2/28/2021	16:18:00	2/28/2021	17:00:00	2/28/2021	20:30:00	4 hours 12 mins	2/28/2021	20:30:00	PLASTIC	Low Pressure	1.25	SERVICE	None	████	██████████	WASHINGTON	DC	20001
2198893	Grade 1 Leak	Corrasion	3/2/2021	11:43:00	3/2/2021	12:10:00	3/2/2021	14:30:00	2 hours 47 mins	3/2/2021	14:30:00	WRAPPED STEEL	Low Pressure	3	SERVICE	None	████	██████████	WASHINGTON	DC	20005
2198921	Grade 1 Leak	Corrosion	3/2/2021	16:07:00	3/2/2021	17:10:00	3/3/2021	3:10:00	11 hours 3 mins	3/3/2021	3:10:00	WRAPPED STEEL	High Pressure	6	MAIN	None	None	████████████████	WASHINGTON	DC	20001
2199036	Grade 1 Leak	Corrosion	3/3/2021	13:28:00	3/3/2021	14:30:00	3/4/2021	1:00:00	11 hours 32 mins	3/4/2021	1:00:00	WRAPPED STEEL	Low Pressure	3	SERVICE	None	████	██████████	WASHINGTON	DC	20037

CERTIFICATE OF SERVICE

I, the undersigned counsel, hereby certify that on this 4th day of March 2021, I caused copies of the foregoing **Public Report** to be hand-delivered, mailed, postage-prepaid, or electronically delivered to the following:

Mr. Udeozo Ogbue
Mr. Ahmadou Bagayoko
Mr. Donald Jackson
Public Service Commission
of the District of Columbia
1325 "G" Street, NW, Suite 800
Washington, DC 20005
uogbue@psc.dc.gov
djackson@psc.dc.gov
abagayoko@psc.dc.gov

Sandra Mattavous-Frye, People's Counsel
Timothy Oberleiton, Assistant People's Counsel
Thaddeus Johnson, Assistant People's Counsel
Jason Cumberbatch
Office of the People's Counsel
of the District of Columbia
1133 - 15th Street, NW, Suite 500 Washington,
DC 20005
smfrye@opc-dc.gov
toberleiton@opc-dc.gov
tjohnson@opc-dc.gov
jcumberbatch@opc-dc.gov

Yohannes K.G. Mariam, Ph.D.
Senior Economist
Office of the People's Counsel
of the District of Columbia
Suite 500, 1133 - 15th Street, NW Washington,
DC 20005
ymariam@opc-dc.gov



Meera Ahamed