

Meera Ahamed
Office of General Counsel
(202) 624-6622 (Direct)
(202) 624-6789 (Fax)
MAhamed@washgas.com

April 13, 2021

VIA ELECTRONIC FILING

Brinda Westbrook-Sedgwick
Commission Secretary
Public Service Commission
of the District of Columbia
1325 "G" Street, N.W., 8th Floor
Washington, D.C. 20005

**Re: FC NO. 977 AND RM37
[WASHINGTON GAS'S REPORT 4-13-2021 – PUBLIC]**


Dear Ms. Westbrook-Sedgwick:

Washington Gas Light Company transmits this public filing pursuant to Order No. 20254, issued on November 13, 2019, in the captioned proceedings.

Attached are the public versions of the Reports required by:

- (i) 15 DCMR § 3703.5: Written reports concerning all Gas Emergencies shall be filed with the Commission and OPC within five (5) days of the event occurrence. The Natural Gas Utility shall provide updates to its written report as it receives more information; and
- (ii) 15 DCMR § 3701.10: The Natural Gas Utility shall report to the Commission and the Office of the People's Counsel ("OPC") of the District of Columbia all Reportable, Limited Service Outages and gas Incidents.

Pursuant to 15 DCMR § 3702.16, service to the Commission's Office of Engineering and the Office of the People's Counsel will be accomplished by providing access to the confidential version of the Report through Share Point, a widely used document management and sharing tool.



Please do not hesitate to contact me if you have questions regarding this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Meera Ahamed', with a long horizontal flourish extending to the right.

Meera Ahamed
Associate General Counsel

pc: Per Certificate of Service

Order Number	Description of Gas Emergency	Start Date	Start Time	Onsite Date	Onsite Time	End Date	End Time	Notice Sent Time Stamp	Root Cause of Gas Emergency	Risk Mitigation Steps	Est. Number Customer Affected	Gas Emergency Control & Minimization Steps	Notice Sent By	Number of Injuries	Number of Deaths	Personal Prop Damage	Pipe Material	Pipe Pressure	Pipe Size	Pipe Type	Apartment Number	House Number	Street	City	State	ZipCode
000100256332	811-BROKEN LINE	4/7/2021	10:14:32	4/7/2021	10:35:58	4/7/2021	14:21:28	04/07/2021 11:48:46	811-BROKEN LINE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 014 - Broken Line- thru accelerated replacement, No Outage .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None	None Reported	██████████ ██████████	WASHINGTON	DC	20016
000100256333	802-ODOR INSIDE	4/7/2021	10:49:44	4/7/2021	13:23:57	4/7/2021	14:50:58	04/07/2021 11:49:00	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	14	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None	█	██████████	WASHINGTON	DC	20011
000100256357	812-ODOR OUTSIDE	4/7/2021	11:02 02	4/7/2021	15:03:05	4/7/2021	15:55:48	04/07/2021 11:49:01	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	WRAPPED STEEL	High Pressure	0.75	SERVICE	None	█	██████████	WASHINGTON	DC	20016
000100256373	812-ODOR OUTSIDE	4/7/2021	08:27 03	4/7/2021	09:20:21	4/7/2021	12:32:10	04/07/2021 11:48:55	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 014 - Broken Line- thru accelerated replacement, No Outage .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	1 25	SERVICE	None	█	██████████	WASHINGTON	DC	20009
000100256386	812-ODOR OUTSIDE	4/7/2021	10:50:43	4/7/2021	14:27:04	4/7/2021	15:04 09	04/07/2021 11:48:52	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	High Pressure	0 5	SERVICE	None	█	██████████	WASHINGTON	DC	20016
000100256388	811-BROKEN LINE	4/7/2021	11:23:35	4/7/2021	12:32:39	4/7/2021	14:47:41	04/07/2021 11:48:56	811-BROKEN LINE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 014 - Broken Line- thru accelerated replacement, No Outage .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	4	SERVICE	█	█	██████████	WASHINGTON	DC	20001
000100256408	812-ODOR OUTSIDE	4/7/2021	10:16:14	4/7/2021	11:02:20	4/7/2021	12:20:33	04/07/2021 11:48:54	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	COPPER	Low Pressure	1	SERVICE	None	█	██████████	WASHINGTON	DC	20018
000100256432	802-ODOR INSIDE	4/7/2021	09:30:54	4/7/2021	09:49:39	4/7/2021	14:01 08	04/07/2021 11:48:53	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 012 - Leak Outside-Wmis Referral ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	1	SERVICE	None	█	██████████ █	WASHINGTON	DC	20009
000100256517	812-ODOR OUTSIDE	4/8/2021	11:58:44	4/8/2021	12:33:01	4/8/2021	13:37:29	04/08/2021 12:04:12	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 302 - Meter Rack - Leak .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None	█	██████████	WASHINGTON	DC	20002

000100256531	802-ODOR INSIDE	4/8/2021	10:49:56	4/8/2021	11:29:30	4/8/2021	12:28 05	04/08/2021 12:04:01	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	WRAPPED STEEL	UNKNOW N	1 5	SERVICE	None			WASHINGTON	DC	20010
000100256540	812-ODOR OUTSIDE	4/7/2021	17:40:42	4/7/2021	19:45:35	4/7/2021	20:24:13	04/07/2021 20:02:59	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported			WASHINGTON	DC	20002	
000100256557	812-ODOR OUTSIDE	4/8/2021	10:23 02	4/8/2021	10:38:07	4/8/2021	12:58:51	04/08/2021 12:03:45	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 012 - Leak Outside-Wmis Referral ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported			WASHINGTON	DC	20064	
000100256558	802-ODOR INSIDE	4/8/2021	11:26:27	4/8/2021	12:58:52	4/8/2021	13:27:57	04/08/2021 12:04:12	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	BARE STEEL	UNKNOW N	1	SERVICE	None			WASHINGTON	DC	20009
000100256570	802-ODOR INSIDE	4/8/2021	08:59:33	4/8/2021	10:46:19	4/8/2021	12:04:57	04/08/2021 12:03:41	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	1	SERVICE	None			WASHINGTON	DC	20011
000100256575	812-ODOR OUTSIDE	4/8/2021	10:16 06	4/8/2021	11:12:10	4/8/2021	12:04:47	04/08/2021 12:03:49	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 312 - Regulator Leak ,730 - Referred Order To Other BU .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported			WASHINGTON	DC	20020	
000100256578	802-ODOR INSIDE	4/8/2021	11:21:14	4/8/2021	12:48:21	4/8/2021	14:23:13	04/08/2021 12:04:02	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	1	SERVICE	None			WASHINGTON	DC	20011
000100256587	812-ODOR OUTSIDE	4/8/2021	10:57:59	4/8/2021	11:21:27	4/8/2021	12:12 05	04/08/2021 12:04:08	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	COPPER	Low Pressure	1	SERVICE	None			WASHINGTON	DC	20018
000100256591	802-ODOR INSIDE	4/8/2021	11:23 09	4/8/2021	13:41:41	4/8/2021	15:15:22	04/08/2021 12:03:37	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported			WASHINGTON	DC	20016	

000100256632	802-ODOR INSIDE	4/8/2021	19:09:59	4/8/2021	19:54:21	4/8/2021	20:52:19	04/08/2021 19:46:04	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 016 - Repair Leak At Mbu ,132 - Changed Mtr Other- (Res-Small) ,095 - RELIGHT METER ,311 - Check/Service Regulator ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	0 5	SERVICE	None	■	■	WASHINGTON	DC	20024
000100256636	802-ODOR INSIDE	4/9/2021	10:06:57	4/9/2021	10:57:24	4/9/2021	13:05:52	04/09/2021 11:34:12	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	2	SERVICE	None	■	■	WASHINGTON	DC	20005
000100256637	812-ODOR OUTSIDE	4/9/2021	10:24 01	4/9/2021	11:30:13	4/9/2021	14:59:26	04/09/2021 11:34:08	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 731 - Referred to WMIS .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	■	■	WASHINGTON	DC	20002	
000100256685	802-ODOR INSIDE	4/8/2021	18:24:49	4/8/2021	19:04:13	4/8/2021	20:37:55	04/08/2021 19:46:24	802-ODOR INSIDE. Technician has arrived on the site. 776-Unsafe Conditions-CFM.	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	0 5	SERVICE	None	■	■	WASHINGTON	DC	20032
000100256690	802-ODOR INSIDE	4/9/2021	10:12:12	4/9/2021	12:09:34	4/9/2021	12:46:40	04/09/2021 11:33:56	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. HIPR - Higher Priority Task Assigned ,321 - No Leak Found ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	1	SERVICE	None	■	■	WASHINGTON	DC	20016
000100256691	872-FIREBOARD	4/9/2021	11:07:53	4/9/2021	11:21:31	4/9/2021	13:27:25	04/09/2021 11:33:58	872-FIREBOARD. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 012 - Leak Outside-Wmis Referral ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	2	SERVICE	None	■	■	WASHINGTON	DC	20002
000100256735	802-ODOR INSIDE	4/9/2021	17:00:54	4/9/2021	20:01:56	4/9/2021	20:34:45	04/09/2021 19:58:28	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	0.75	SERVICE	None	■	■	WASHINGTON	DC	20018
000100256747	812-ODOR OUTSIDE	4/9/2021	10:58 03	4/9/2021	13:53:21	4/9/2021	15:25 08	04/09/2021 11:34:14	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 302 - Meter Rack - Leak .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	1	SERVICE	None	■	■	WASHINGTON	DC	20011
000100256759	802-ODOR INSIDE	4/9/2021	16:44:57	4/9/2021	18:07:58	4/9/2021	21:42 02	04/09/2021 19:59:58	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 012 - Leak Outside-Wmis Referral .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	1	SERVICE	None	■	■	WASHINGTON	DC	20015

000100256769	802-ODOR INSIDE	4/9/2021	16:39:13	4/9/2021	20:20:49	4/9/2021	20:30:29	04/09/2021 19:57:42	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	12	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	High Pressure	2	SERVICE	None	■	■	WASHINGTON	DC	20019
000100256774	812-ODOR OUTSIDE	4/9/2021	17:38 06	4/9/2021	20:02:27	4/9/2021	20:47:25	04/09/2021 19:57:55	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	UNKNOW N	UNKNOW N	UNKNOW N	SERVICE	■	■	■	WASHINGTON	DC	20001
000100256779	812-ODOR OUTSIDE	4/10/2021	10:11:58	4/10/2021	10:41:07	4/10/2021	13:10:55	04/10/2021 11:52:46	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None	■	■	WASHINGTON	DC	20019
000100256820	812-ODOR OUTSIDE	4/9/2021	16:59:57	4/9/2021	17:54:03	4/9/2021	20:36 00	04/09/2021 19:57:31	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 012 - Leak Outside-Wmis Referral .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	Low Pressure	1 25	SERVICE	None	■	■	WASHINGTON	DC	20003
000100256831	812-ODOR OUTSIDE	4/10/2021	16:33:33	4/10/2021	21:29:19	4/10/2021	22:20 08	04/10/2021 19:45:32	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 640 - Off Temporarily At Meter ,300 - Inside Leak Survey Completed ,731 - Referred to WMIS ,730 - Referred Order To Other BU .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	COPPER	UNKNOW N	0 5	SERVICE	None	■	■	WASHINGTON	DC	20007
000100256844	802-ODOR INSIDE	4/10/2021	10:31:40	4/10/2021	15:59:39	4/10/2021	17:06:25	04/10/2021 11:52:45	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	1 25	SERVICE	None	■	■	WASHINGTON	DC	20010
000100256857	802-ODOR INSIDE	4/10/2021	19:33:56	4/10/2021	20:14:19	4/10/2021	23:44:21	04/10/2021 19:43:09	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	BARE STEEL	Low Pressure	1 25	SERVICE	None	■	■	WASHINGTON	DC	20017
000100256887	812-ODOR OUTSIDE	4/10/2021	18:41:43	4/10/2021	19:17:15	4/10/2021	20:24:33	04/10/2021 19:45:18	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOW N	1 25	SERVICE	None	■	■	WASHINGTON	DC	20002
000100256888	872-FIREBOARD	4/10/2021	19:15:16	4/10/2021	19:46:31	4/10/2021	22:37 05	04/10/2021 19:45:19	872-FIREBOARD. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 012 - Leak Outside-Wmis Referral ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None	■	■	WASHINGTON	DC	20012

000100256893	802-ODOR INSIDE	4/11/2021 11:37:36	4/11/2021 12:11:40	4/11/2021 12:43:37	04/11/2021 11:46:53	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	60	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	WRAPPED STEEL	UNKNOW N	4	SERVICE	None			WASHINGTON	DC	20008
000100256934	812-ODOR OUTSIDE	4/11/2021 19:44 09	4/11/2021 21:43:22	4/11/2021 23:01:18	04/11/2021 19:49:48	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	123	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None			WASHINGTON	DC	20005
000100256970	812-ODOR OUTSIDE	4/11/2021 19:38:39	4/11/2021 20:12:40	4/11/2021 20:57 03	04/11/2021 19:48:24	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 312 - Regulator Leak ,640 - Off Temporarily At Meter ,730 - Referred Order To Other BU .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	13	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None			WASHINGTON	DC	20019

Order Number	Description of Gas Incident	Root Cause of Gas Incident	Start Date	Start Time	Onsite Date	Onsite Time	Order Close Date	Order Close Time	Made Safe Date	Made Safe Time	Notice Sent Time Stamp	Notice Sent By	Est. Number Customers Affected	Est. Number of Street Closures	Number of Injuries	Number of Hospitalizations	Number of Deaths	Est. Damage Cost	OutsideAssistanceT oWGL	Time for Assistance to Arrive	Pipe Material	Pipe Pressure	Pipe Size	Pipe Type	Apartment Number	House Number	Street	City	State	ZipCode
000100256332	811-BROKEN LINE	Excavation Damage	4/7/2021	10 14 32	04/07/2021	10 35 58	4/7/2021	14 21 28	4/7/2021	14 21 28	04/07/2021 11 48 46	RM37Prod API	1	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	PLASTIC	High Pressure	4	MAIN	None	None Reported		Washington	DC	20016
000100256388	811-BROKEN LINE	Excavation Damage	4/7/2021	11 23 35	04/07/2021	12 32 39	4/7/2021	14 47 41	4/7/2021	14 47 41	04/07/2021 11 48 56	RM37Prod API	1	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	PLASTIC	Low Pressure	4	SERVICE				Washington	DC	20001


CERTIFICATE OF SERVICE

I, the undersigned counsel, hereby certify that on this 13th day of April 2021, I caused copies of the foregoing **Public Report** to be hand-delivered, mailed, postage-prepaid, or electronically delivered to the following:

Mr. Udeozo Ogbue
Mr. Ahmadou Bagayoko
Mr. Donald Jackson
Public Service Commission
of the District of Columbia
1325 "G" Street, NW, Suite 800
Washington, DC 20005
uogbue@psc.dc.gov
djackson@psc.dc.gov
abagayoko@psc.dc.gov

Sandra Mattavous-Frye, People's Counsel
Jason Cumberbatch
Office of the People's Counsel
of the District of Columbia
1133 - 15th Street, NW, Suite 500
Washington, DC 20005
smfrye@opc-dc.gov
jcumberbatch@opc-dc.gov

Yohannes K.G. Mariam, Ph.D.
Senior Economist
Office of the People's Counsel
of the District of Columbia
Suite 500, 1133 - 15th Street, NW
Washington, DC 20005
ymariam@opc-dc.gov



MEERA AHAMED