

April 20, 2021

**VIA ELECTRONIC FILING**

Brinda Westbrook-Sedgwick  
Commission Secretary  
Public Service Commission  
of the District of Columbia  
1325 "G" Street, N.W., 8<sup>th</sup> Floor  
Washington, D.C. 20005

**Re: FC NO. 977 AND RM37  
[WASHINGTON GAS'S REPORT 4-20-2021 – PUBLIC]**

Dear Ms. Westbrook-Sedgwick:

Washington Gas Light Company transmits this public filing pursuant to Order No. 20254, issued on November 13, 2019, in the captioned proceedings.

Attached are the public versions of the Reports required by:

- (i) 15 DCMR § 3703.5: Written reports concerning all Gas Emergencies shall be filed with the Commission and OPC within five (5) days of the event occurrence. The Natural Gas Utility shall provide updates to its written report as it receives more information; and
- (ii) 15 DCMR § 3701.10: The Natural Gas Utility shall report to the Commission and the Office of the People's Counsel ("OPC") of the District of Columbia all Reportable, Limited Service Outages and gas Incidents.

Pursuant to 15 DCMR § 3702.16, service to the Commission's Office of Engineering and the Office of the People's Counsel will be accomplished by providing access to the confidential version of the Report through Share Point, a widely used document management and sharing tool.

Please do not hesitate to contact me if you have questions regarding this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Meera Ahamed', with a long horizontal flourish extending to the right.

Meera Ahamed  
Associate General Counsel

pc: Per Certificate of Service

Order Number	Description of Gas Emergency	Start Date	Start Time	Onsite Date	Onsite Time	End Date	End Time	Notice Sent Time Stamp	Root Cause of Gas Emergency	Risk Mitigation Steps	Est. Number Customer Affected	Gas Emergency Control & Minimization Steps	Notice Sent By	Number of Injuries	Number of Deaths	Personal Prop Damage	Pipe Material	Pipe Pressure	Pipe Size	Pipe Type	Apartment Number	House Number	Street	City	State	ZipCode
000100257216	812-ODOR OUTSIDE	4/14/2021	11:18:32	4/14/2021	11:52:10	4/14/2021	13:29:11	04/14/2021 12:08:43	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOWN	1.25	SERVICE	None			WASHINGTON	DC	20011
000100257275	812-ODOR OUTSIDE	4/14/2021	10:52:06	4/14/2021	11:05:46	4/14/2021	12:32:46	04/14/2021 12:09:06	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOWN	1	SERVICE	None			WASHINGTON	DC	20003
000100257294	802-ODOR INSIDE	4/14/2021	11:00:41	4/14/2021	11:42:11	4/14/2021	13:27:18	04/14/2021 12:09:08	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 016 - Repair Leak At Mbu ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	COPPER	High Pressure	0.5	SERVICE	None			WASHINGTON	DC	20019
000100257295	802-ODOR INSIDE	4/14/2021	11:03:19	4/14/2021	11:19:04	4/14/2021	12:52:22	04/14/2021 12:09:07	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 016 - Repair Leak At Mbu ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	COPPER	High Pressure	0.5	SERVICE	None			WASHINGTON	DC	20017
000100257296	812-ODOR OUTSIDE	4/14/2021	11:51:30	4/14/2021	12:18:36	4/14/2021	13:06:52	04/14/2021 12:08:55	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. MACH - Answering Machine/Busy Signal/No Answer ,321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	WRAPPED STEEL	UNKNOWN	1.5	SERVICE	None			WASHINGTON	DC	20008
000100257362	802-ODOR INSIDE	4/14/2021	12:02:34	4/14/2021	12:33:55	4/14/2021	12:48:32	04/14/2021 12:09:16	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found ,300 - Inside Leak Survey Completed .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	COPPER	High Pressure	0.5	SERVICE				WASHINGTON	DC	20019
000100257377	812-ODOR OUTSIDE	4/15/2021	10:45:37	4/15/2021	11:39:08	4/15/2021	13:00:38	04/15/2021 11:49:59	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported			WASHINGTON	DC	20019
000100257378	802-ODOR INSIDE	4/15/2021	10:58:03	4/15/2021	11:51:18	4/15/2021	12:19:38	04/15/2021 11:49:47	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOWN	1	SERVICE	None			WASHINGTON	DC	20011
000100257407	812-ODOR OUTSIDE	4/14/2021	19:04:35	4/14/2021	19:40:17	4/14/2021	20:18:40	04/14/2021 20:05:47	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 012 - Leak Outside- Wmis Referral ,730 - Referred Order To Other BU .	WGL will leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOWN	1	SERVICE	None			WASHINGTON	DC	20032

000100257419	802-ODOR INSIDE	4/15/2021	11:44:53	4/15/2021	13:19:09	4/15/2021	14:42:43	04/15/2021 11:50:11	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found ,300 - Inside Leak Survey Completed .	WGL will Leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	WRAPPED STEEL	UNKNOWN	1.5	SERVICE	None	█	█	WASHINGTON	DC	20008
000100257439	812-ODOR OUTSIDE	4/15/2021	10:38:02	4/15/2021	14:09:42	4/15/2021	15:54:43	04/15/2021 11:50:00	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. HIPR - Higher Priority Task Assigned ,322 - Dot Hazardous-Leak ,730 - Referred Order To Other BU ,300 - Inside Leak Survey Completed ,530 - Leak Survey Meter Maintenance .	WGL will Leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	BARE STEEL	UNKNOWN	1.5	SERVICE	None	█	█	WASHINGTON	DC	20012
000100257441	812-ODOR OUTSIDE	4/15/2021	00:21:44	4/15/2021	01:42:58	4/15/2021	05:49:14	04/15/2021 03:53:24	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will Leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	█	█	WASHINGTON	DC	20037	
000100257446	802-ODOR INSIDE	4/15/2021	09:03:50	4/15/2021	09:33:32	4/15/2021	12:48:01	04/15/2021 11:50:01	802-ODOR INSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 321 - No Leak Found .	WGL will Leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	█	█	WASHINGTON	DC	20018	
000100257448	812-ODOR OUTSIDE	4/15/2021	10:37:46	4/15/2021	11:28:03	4/15/2021	12:31:53	04/15/2021 11:50:00	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 012 - Leak Outside- Wmis Referral ,730 - Referred Order To Other BU .	WGL will Leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	█	█	WASHINGTON	DC	20019
000100257449	812-ODOR OUTSIDE	4/15/2021	10:42:30	4/15/2021	12:48:57	4/15/2021	12:56:07	04/15/2021 11:50:12	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 012 - Leak Outside- Wmis Referral .	WGL will Leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOWN	1.25	SERVICE	None	█	█	WASHINGTON	DC	20018
000100257452	811-BROKEN LINE	4/15/2021	10:55:38	4/15/2021	14:27:13	4/15/2021	14:30:33	04/15/2021 11:49:46	811-BROKEN LINE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 009 - Assisted With Broken Line .	WGL will Leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	█	█	WASHINGTON	DC	20010	
000100257468	811-BROKEN LINE	4/15/2021	11:26:25	4/15/2021	14:20:42	4/15/2021	14:26:20	04/15/2021 11:49:44	811-BROKEN LINE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 009 - Assisted With Broken Line .	WGL will Leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	█	█	WASHINGTON	DC	20010	
000100257493	812-ODOR OUTSIDE	4/15/2021	16:34:50	4/15/2021	18:32:50	4/15/2021	20:28:51	04/15/2021 19:52:32	812-ODOR OUTSIDE. Technician or crew has completed their investigation. The job has been completed per the following completion codes. 016 - Repair Leak At Mbu ,300 - Inside Leak Survey Completed ,529 - Paint Meter ,530 - Leak Survey Meter Maintenance ,311 - Check/Service Regulator ,304 - Verify Mtr Info-Field Chk .	WGL will Leverage Damage Remediation Plan for events caused by 3rd party damage. Other Events will be addressed thru accelerated replacement, leak survey & DIMP programs.	1	WGL follows safety and gas emergency control procedures, as outlined in the WGL Operations & Maintenance Manual.	RM37Prod API	None Reported	None Reported	None Reported	PLASTIC	UNKNOWN	0.75	SERVICE	None	█	█	WASHINGTON	DC	20011





Order Number	Description of Gas Incident	Root Cause of Gas Incident	Start Date	Start Time	Onsite Date	Onsite Time	Order Close Date	Order Close Time	Made Safe Date	Made Safe Time	Notice Sent Time Stamp	Notice Sent By	Est. Number Customers Affected	Est. Number of Street Closures	Number of Injuries	Number of Hospitalizations	Number of Deaths	Est. Damage Cost	OutsideAssistanceT oWGL	Time for Assistance to Arrive	Pipe Material	Pipe Pressure	Pipe Size	Pipe Type	Apartment Number	House Number	Street	City	State	ZipCode
000100257452	811-BROKEN LINE	Excavation Damage	4/15/2021	10:55:38	04/15/2021	14:27:13	4/15/2021	14:30:33	4/15/2021	14:30:33	04/15/2021 11:49:46	RM37Prod API	1	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	WRAPPED STEEL	Low Pressure	1.5	SERVICE	None			WASHINGTON	DC	20010
000100257468	811-BROKEN LINE	Excavation Damage	4/15/2021	11:26:25	04/15/2021	14:20:42	4/15/2021	14:26:20	4/15/2021	14:26:20	04/15/2021 11:49:44	RM37Prod API	1	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	None Reported	WRAPPED STEEL	Low Pressure	1.5	SERVICE	None			WASHINGTON	DC	20010

## CERTIFICATE OF SERVICE

I, the undersigned counsel, hereby certify that on this 20th day of April 2021, I caused copies of the foregoing **Public Report** to be hand-delivered, mailed, postage-prepaid, or electronically delivered to the following:

Mr. Udeozo Ogbue  
Mr. Ahmadou Bagayoko  
Mr. Donald Jackson  
Public Service Commission  
of the District of Columbia  
1325 "G" Street, NW, Suite 800  
Washington, DC 20005  
[uogbue@psc.dc.gov](mailto:uogbue@psc.dc.gov)  
[djackson@psc.dc.gov](mailto:djackson@psc.dc.gov)  
[abagayoko@psc.dc.gov](mailto:abagayoko@psc.dc.gov)

Sandra Mattavous-Frye, People's Counsel  
Jason Cumberbatch  
Office of the People's Counsel  
of the District of Columbia  
1133 - 15th Street, NW, Suite 500  
Washington, DC 20005  
[smfrye@opc-dc.gov](mailto:smfrye@opc-dc.gov)  
[jcumberbatch@opc-dc.gov](mailto:jcumberbatch@opc-dc.gov)

Yohannes K.G. Mariam, Ph.D.  
Senior Economist  
Office of the People's Counsel  
of the District of Columbia  
Suite 500, 1133 - 15th Street, NW  
Washington, DC 20005  
[ymariam@opc-dc.gov](mailto:ymariam@opc-dc.gov)



---

MEERA AHAMED